



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx KTL 21.0003X** Page 1 of 3 [Certificate history:](#)
Status: **Current** Issue No: 0
Date of Issue: 2021-01-29
Applicant: **SUNIL ELECOMM CO., LTD.**
21-19, Jangsu-ro 342beon-gil, Jangsu-myeon, Yeongju-si
Gyeongsangbuk-do 36145
Korea, Republic of
Equipment: **Pendant light, EXLEDP**n-P****-** series**
Optional accessory:
Type of Protection: **Restricted breathing "nR" and Optical radiance "op is"**
Marking: Ex nR op is IIC T6/T5 Gc

Approved for issue on behalf of the IECEx
Certification Body:

Park, Jong-koo

Position:

Certification Manager

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

Korea Testing Laboratory
87, Digital-ro, 26-gil, Guro-gu
Seoul
Korea, Republic of





IECEx Certificate of Conformity

Certificate No.: **IECEx KTL 21.0003X**

Page 2 of 3

Date of issue: 2021-01-29

Issue No: 0

Manufacturer: **SUNIL ELECOMM CO., LTD.**
21-19, Jangsu-ro 342beon-gil, Jangsu-myeon, Yeongju-si
Gyeongsangbuk-do 36145
Korea, Republic of

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-15:2017 Explosive atmospheres - Part 15: Equipment protection by type of protection "n"
Edition:5.0

IEC 60079-28:2015 Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation
Edition:2

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[KR/KTL/ExTR21.0003/00](#)

Quality Assessment Report:

[KR/KTL/QAR18.0004/02](#)



IECEx Certificate of Conformity

Certificate No.: **IECEx KTL 21.0003X**

Page 3 of 3

Date of issue: 2021-01-29

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Pendant light, EXLEDP**n-P****** series, comprises the enclosure employing LEDs and non-metallic enclosure. The equipment provides IP66 in accordance with IEC 60529 after pre-conditioning by IEC 60079-0 and provides IP67 in accordance with IEC 60529. Temperature class is dependent on the ambient temperature and LEDs power.

Ambient temperature

20 W(EXLEDP20n-P****-**): -35 °C ~ +45 °C (T6) / -35 °C ~ +50 °C (T5)

14 W(EXLEDP14n-P****-**): -35 °C ~ +55 °C (T6) / -35 °C ~ +60 °C (T5)

Others: -35 °C ~ +60 °C (T6)

Electrical data

Lamp power: 5 W / 7 W / 9 W / 12 W / 14 W / 20 W

Rated voltage: (100 - 240) Vac, (50/60) Hz

Model configuration

EXLEDP(aa)n-P(bb)(c)(d)-(ee)

aa(wattage): 05(5 W), 07(7 W), 09(9 W), 12(12 W), 14(14 W), 20(20 W)

bb(Voltage): 01(200-240 Vac, 50/60 Hz), 02(100-110, 50/60 Hz) Vac, 04(200-240, 50 Hz) Vac, 05(100-110, 50 Hz) Vac

c(entry type): G(1/2 NPT), H(3/4 NPT), M(M20), Q(M25)

d(the number of entries): 1(1 ea), 2(2 ea)

ee(additional guard): None(without guard), P(yellow guard), PR(red guard)

SPECIFIC CONDITIONS OF USE: YES as shown below:

1. POTENTIAL ELECTROSTATIC CHARGE-SEE INSTRUCTIONS
2. The test port is not provided and refer to the instructions.